

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	25184	709/218,245,224,200,223.ccls. or 725/80.ccls. or 379/93.01,90.01.ccls. or 340/825.24,825.69.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 10:44
L10	2253	(message or packet) with (device or appliance or destination) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 10:44
L11	153	L10 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 10:44
L13	1303	(control\$3 near4 (appliance\$1 or device\$1)) with server with (message or packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 10:46
L14	91	9 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 10:46
L15	2	14 and (ID with transmission)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/21 10:46
S1	2	10/289423.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 18:49
S2	2	"5327426".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 18:49
S6	1	10/558433	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 18:52

S7	21	(master or manage\$4 or controller) same (slave\$1 or controlled) same applianc\$2 same server same message \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:42
S8	1	(master or manage\$4 or controller) same (slave\$1 or controlled) same applianc\$2 same server same (message\$1 near2 (structure or body or component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:46
S9	33	(master or manage\$4 or controller) same (slave\$1 or controlled) same applianc\$2 same server same (message\$1 or packet\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:53
S10	3	(message\$1 or packet\$1) with (product near (identification or ID)) with parameter with message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 12:08
S11	24	(message\$1 or packet\$1) with (product near (identification or ID)) and appliance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 12:11
S12	3	09/941874	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:12
S13	17	(master or controller) same (slave\$1 or controlled) same appliance\$1 same server same message\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:42
S14	61	(user or caller) same (master or controller) same (slave\$1 or controlled) same appliance\$1 same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:43
S15	50	(user or caller) same (master or controller) same (slave\$1 or controlled) same appliance\$1 same server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:44
S16	6	("20020035404" "20020103898" "5279458" "5400246" "6405103" "6618764").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/09 16:51

S17	0	S16 and server and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:52
S18	3	S16 and server and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:52
S19	3	S16 and (server with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:55
S20	1	S16 and (server with controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:55
S21	2	09/774999	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 13:23
S22	2003	(message or packet) with (device or appliance or destination) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:09
S23	429	S22 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:09
S24	2003	(message or packet) with (device or appliance) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:10
S25	34	(message or packet) with (appliance) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:10

S26	5	S25 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:11
S27	0	(message or packet) with (source) with (destentation) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:39
S28	0	(message or packet) with source with destintation with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:40
S29	0	(message or packet)same source same destintation same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:41
S30	11814	(message or packet) with source with destination with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:42
S31	3068	S30 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43
S32	41	(message or packet) with source with destination with address with region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43
S33	72113	2and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43
S34	12	S32 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43

S35	1	10/882311	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:52
S36	19017	(message or packet) same source same destination same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 15:30
S37	4740	S36 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 15:30
S38	2	09/774999	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 16:25
S39	3525	(user or person) same (overflow or overload\$3 or large) same (prevent\$3 or stop\$3) same (download\$3 transmi \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:23
S40	1	10/853099	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:24
S41	37	(user or person) same (overflow or overload\$3 or large) same (prevent\$3 or stop\$3) same (download\$3 transmi \$5) same level same (file or sore or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:25
S42	7	S41 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:26
S43	2	"7,062,531".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:36

S44	2	09/774999	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:06
S45	1579	home near2 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:28
S46	721	home near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:28
S47	81	S46 same appliance\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:29
S48	19	S47 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:29
S49	6	S48 and (manager or controleer or master) and (controlled or slave or appliance) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:30
S50	0	09/774999 and log	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 12:28
S51	1	10/882311	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 14:18
S52	4	(packet or message)with number with (bits or byte) with appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 17:45

S53	94	(packet or message)with (unit or bit or byte) with (identif\$3 or determin\$3 or decid\$3) with language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 18:38
S54	11	(packet or message) near2 (unit or bit or byte) near2 (identif\$3 or determin\$3 or decid\$3) with language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 18:38
S55	16	S53 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 18:47
S56	1039	(packet or message) near2 (unit or bit or byte or code) near2 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:42
S57	1	(packet or message) near1 (unit or bit or byte or code) near1 (User adj terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:42
S58	85	(packet or message) near1 (unit or bit or byte or code) near1 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:43
S59	78	(packet or message) near1 (ID or identification) near1 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:44
S60	9	S59 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:45
S61	1288	(packet or message) near1 (ID or identification) near1 (send\$3 or transmit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:47

S62	209	S61 and "709"/\$.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:48
S63	1288	(packet or message) near1 (ID or identification) near (send\$3 or transmit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:48
S64	1288	(packet or message) near (ID or identification) near (send\$3 or transmit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:48
S65	22	S62 and appliance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:49
S66	1050732	709/200, "203", "208", "224".ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 20:18
S67	2003	(message or packet) with (device or appliance or destination) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 20:19
S68	670	S67 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 20:19
S69	1	10/019991	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 09:34
S70	0	"10.appa.019991"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 09:38

S71	1	10/019991	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 09:38
S72	0	11/019991	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 09:39
S73	0	11/019991	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/14 09:40
S74	1	10/558433	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:42
S75	5	"20030088703" or "20030074460"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 11:48
S76	6840	709/208,238,245.ccls. or 379/093.230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:04
S77	1338	appliance with (controller or master or (control\$4 adj devcie)) with (server or application or gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:06
S78	23	S76 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:06
S79	20	S78 and message\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 12:06

S80	1	"20020103898" and stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:13
S81	6840	709/208,238,245.ccls. or 379/093.230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:16
S82	1338	appliance with (controller or master or (control\$4 adj devcie)) with (server or application or gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:16
S83	23	S81 and S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:16
S84	5	S83 and (message\$1 near4 stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:16
S85	20	S83 and (message\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:19
S87	12	S85 and (predetermined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:20
S88	5	S87 and parameter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 13:20
S89	3	"20030088703"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:33

S90	2	"7,124148".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:43
S91	2	"7,124184".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 14:44
S92	18	("20020004711" "20020112058" "20040006647" "20040117068" "20040243684" "20050149642" "20050184852" "20050198663" "20050203647" "5436510" "5485370" "5694547" "6389339" "6621827" "6658474" "6768720" "6792323" "6838986").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 14:44
S93	13	("20010038392" "20020010798" "20020080753" "20020080827" "20020091801" "20020138437" "20030046580" "20060095471" "6182094" "6288716" "6603488" "6735619" "7349967").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/19 15:09
S94	80	control\$4 near5 remot\$4 near5 appliances near5 server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:41
S95	41	control\$4 near5 remot\$4 near5 appliances near5 server	US-PGPUB; USPAT	OR	OFF	2008/11/19 15:41
S96	3	S95 and (stor\$3 with (later near2 time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 15:42
S97	2	"20020154161"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/19 16:09
S98	0	"20030088703" and product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 10:25
S99	3	"20030088703" and code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 10:27

S100	0	"20030088703" and (ID adj code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 10:28
S101	114	(control\$4 near3 appliance\$1) with ((appliance\$1 or product) near1 code \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 10:40
S102	8	(control\$4 near3 appliance\$1) with ((appliance\$1 or product) near1 code \$1) with message\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 10:40
S103	30	S101 and message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 10:46
S104	629	(control\$4 near3 appliance\$1) with message\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:03
S105	356	(identif\$4 near1 (product or appliance \$1 or devcie)) with (length or parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:04
S106	1	S104 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:04
S107	2	10/271723	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:07
S108	12	message with parameter with destination with source with length with ID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:09

S109	26	message same parameter same destination same source same length same ID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:10
S110	11	S109 and appliance\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:11
S111	41	control\$4 near5 remot\$4 near5 appliances near5 server	US-PGPUB; USPAT	OR	OFF	2008/11/20 12:59
S112	22	S111 and messag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 12:59
S113	2	"20020103898"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/20 13:10

11/21/2008 10:47:18 AM

C:\Documents and Settings\melzoobi\My Documents\EAST\Workspaces\home network system.wsp